

FIG. 1

**SUPPLIER**

	<b>NAME</b>
	<b>ADDRESS</b>
	<b>PHONE</b>
	<b>PARTS</b>
	<b>NAME</b>
	<b>TYPE</b>
	<b>WEIGHT</b>

**FIG. 2**

Sites List      Create New Site      patientSample

Set Site Options      List UDMs in Site      Create Standard UDMs      Create Custom UDM      Edit session variables

Add child      Add relator      Delete subtree      Move node up      Move node down      Validate UDM      Preview HTML

UDM name: supplierParts  
UDM type: custom

0  supplierParts  
1     supplier  
2      |  
3      |  
4      |  
5      |  
      Id  
      Name  
      Address  
      Phone

Add a child to node **supplier**

Step 3. Specify database parameters for retrieving data:

New node's type: Part

Choose terms for data retrieval:  
Part.Id =

None

Join terms	Additional bindings
<input type="radio"/> None	
<input checked="" type="radio"/> Link.Supplier_id = ?2? Link.Part_id	Part.Id

Next >

Fig. 3



Sites List

Create New Site

Recent Sample

Set Site

Options

List UDMs in Site

Create Standard UDMs

Create Custom UDM

Edit session variables

Add child Add relator Delete subtree Move node up Move node down Validate UDM Preview HTML

UDM name: supplierParts  
UDM type: custom

Parts supplied by \${supplierParts.supplier.name}

0 - supplierParts  
1 - supplier  
2 - Id  
3 - Name  
4 - Address  
5 - Phone  
6 - parts  
7 - Id  
8 - Name  
9 - Weight


Name \${supplierParts.supplier.Name}  
Address \${supplierParts.supplier.Address}  
Phone \${supplierParts.supplier.Phone}  
Name \${supplierParts.supplier.parts.Name}  
Weight \${supplierParts.supplier.parts.Weight}

Submit Query


Show source Save HTML

The screenshot shows the iBizApps interface for managing UDMs. On the left, there's a sidebar with various navigation links like 'Create New Site', 'Recent Sample', 'Set Site', 'Options', etc. The main area has a toolbar with buttons for 'Add child', 'Add relator', 'Delete subtree', 'Move node up', 'Move node down', 'Validate UDM', and 'Preview HTML'. Below this, it shows 'UDM name: supplierParts' and 'UDM type: custom'. To the right, there's a section titled 'Parts supplied by \${supplierParts.supplier.name}' with a tree view of the UDM structure. The tree starts at 'supplierParts' (id 0) and branches into 'supplier' (id 1), 'parts' (id 6), and 'Weight' (id 9). 'supplier' further branches into 'Id' (id 2), 'Name' (id 3), 'Address' (id 4), and 'Phone' (id 5). 'parts' branches into 'Id' (id 7), 'Name' (id 8), and 'Weight' (id 9). Below the tree, there are several placeholder expressions starting with '\$': 'Name \${supplierParts.supplier.Name}', 'Address \${supplierParts.supplier.Address}', 'Phone \${supplierParts.supplier.Phone}', 'Name \${supplierParts.supplier.parts.Name}', and 'Weight \${supplierParts.supplier.parts.Weight}'. At the bottom right of this section is a 'Submit Query' button. At the very bottom of the interface are 'Show source' and 'Save HTML' buttons.


Fig. 4




**FIG. 5**

**FIG. 6**

**SUPPLIER**



**FIG. 7**



**FIG. 8**






Fig. 9

RECORD ID	NAME	ADDRESS	CITY	STATE
15	ACME TECHNOLOGIES	123 SPRING ST	RENO	NV
21	PAPER-R-US	17 TECHNOLOGY DR.	SAN JOSE	CA

RECORD ID	NAME	TYPE	DESCRIPTION
3	SHOE POLISH	PERSONAL SUPPLIES	BLACK
7	TOOTH PASTE	RESALE	FLOURIDE ENHANCED
14	PAPER CLIP	OFFICE SUPPLIES	PLASTIC SIZE 4




**FIG. 10**



**FIG. 11**

**ROOT**



**FIG. 12**

RECORD ID	SUPPLIER ID	PART ID
1	ACME TECHNOLOGIES	TOOTH PASTE
2	ACME TECHNOLOGIES	SHOE POLISH
3	PAPER-R-US	PAPER CLIP

**FIG. 13**